



2217/L/1/NE biconica

design elio martinelli, 1987

Standing lamp indirect light. White or black moulded resin lacquered structure. Now presented in the new "pearly gold" finish. With light intensity regulator on the cable. LED light source integrated. Complete of electronic dimmable driver.

Designed by Elio Martinelli in 1987the lamp was created by the vacuum geenrated by a ring of nearly tangent circles, forming a canal that connects the two worlds: the old and the new millennium. The neoclassical form allows the inclusion in any type of environment and small size is not an issue for its location.

2217/L/1/NE biconica

family: Designers: biconica Elio Martinelli

Utilization:

indoor

Typology:

floor lamps

Certifications:

Market:

This item is available in the

following countries:

EUROPE

Body Color:

Diffuser Color: **Body Materials:**

Diffuser Materials:

Hole Diameter:

other available colors

opal white methacrylate

Dimensions

Width:

Height: 173 cm Length: Depth:

Diameter:

Beam angle:

30 cm

Light Source

Hole Depth: 9,5 Kg

Net weight:

Lumen: Light Source: CRI:

Watt:

duration: 50000 CCT: 3000K Energy degree: Е

28W

led

>90

3700 Im

Device Specifications

Type of emission: indirect Power cable length: 50+200 cm Driver: included Power: 28W Steel cable length: Power supply assembly: internal

Impact Resistance:

Light output: 2560lm Glow Wire Test: Power supply: electronic dimmable power supply

> Type of dimming: dimmer on cable

> > Voltage: 230V



technical drawing




Dimensions


Width: - Hole Diameter: Height: 173 cm Hole Depth: Length: - Net weight: 9,5 Kg

Depth: -

Diameter: 30 cm

photometrics data







biconica 2217/L/1/NE

design elio martinelli, 1987





