




DIMENSIONS



ACCESSORIES







Name Reference Color RAL

Category

PRODUCT

HOLLY 2M 19° 3000K NT

A2810001NT

Textured black
9005

SUSPENSION

LIGHT SOURCE

Type
Gross luminous flux
Colour temperature
Chromatic stability
Colour Rendering Index
Power

Current
Efficacy
LED lifespan

LIGHT SOURCE

210 Lm 3000 K MacAdam Step 3 CRI>90

2,1 W

700 mA

100 Lm/W

L80B10 (Tc=85°C) >60.000h

LIGHTING FIXTURE | PHOTOMETRIC DATA

Lighting efficiency
Light beam angle
19°

LIGHTING FIXTURE | ELECTRICAL DATA

OTHER D

Sealing
Wireless control
Recess measurements
Cord length
Fast adjustment tensioner
Weight
Packaged weight

Units per package Materials

Packaging dimensions

OTHER DATA

Max. 2 m

Please Consult

Ø50 mm

No 321 g

450 g 385 x 103 x 78 mm

Aluminium / Acrylonitrile Butadiene Styrene




Holly is a suspended luminaire for accent lighting applications. Its stylish and elegant geometry and its solid body of machined aluminium define a piece of a highly decorative character and perceived high quality. Its light beam, strictly defined by a micro-reflector, optimises the light beam of the LED, in order to obtain a relatively elevated illuminance at the working plane, thanks to a remarkable utilization of the lumen gross flow. To install the luminaire, Holly gets implemented by means of a recessed ceiling base, discrete and integrated. Its most frequent applications are counters, bedside tables, stairwells, etc.







POLAR DIAGRAM



CONICAL DIAGRAM








| Model | |
|-----------|--|
| Reference | |
| Colour | |
| Category | |

| PRODUCT | | |
|----------------------------|--|--|
| Cord Accessory | | |
| 02230000 W N | | |
| W □ RAL 9016 N ■ RAL9005 | | |
| Accessories | | |

DIMENSIONAL DRAWING








| | PRODUCT |
|-----------|-----------------------------|
| Model | Coaxial Trimless |
| Reference | A023-00-03- W N |
| Colour | W □ RAL 9016 N ■ RAL 9005 |
| Category | Accessories |
| | |

REMOTE INCL Ø20

DIMENSIONAL DRAWING



Wire Trimless Accessory is a collection of accessories for fitting tensioners and cables to Arkoslight luminaires suspended directly from the ceiling with any visible ceiling rose or fixings. This achieves a minimalist application with a visually tidy finish.

With Wire Trimless Accessory the items adjacent to the ceiling of the standard product (ceiling roses, fixings, driver boxes, etc.) are concealed by a simple recessed application.

Wire Trimless Accessory reduces the visual impact of the installation leading to extremely minimalist aesthetics. The wires come out of the ceiling material as a part of the structure. This detail creates a much purer, more essential layout, particular when several luminaires are fitted in an arrangement.

