




### DIMENSIONS



# ACCESSORIES





CORD ACCESSORY

WIRE TRIMLESS ACCESSORY

### AWARDS





Name
Reference
Colo
RA
Categor

	LIGHT SOURCE
Туре	LED
Gross luminous flux	500 lm
Colour temperature	3000 K - Other K, please consult
Chromatic stability	MacAdam Step 2
Colour Rendering Index	CRI>90
Power	4,5 W
Current	500 mA
Efficacy	111 lm/W
LED lifespan	L80B10 (Tc=85°C) >60.000h

	LIGHTING FIXTURE   PHOTOMETRIC DATA
Lighting efficiency	30%
Light beam angle	21°

PRODUCT
ALASKA 2M 3000K BG
A4250011BG

Electrolytic bath
SUSPENSION

Brushed Gold - Other colours, please consult

	LIGHTING FIXTURE   ELECTRICAL DATA	
Driver	Included	
Power values of the system	5,06 W	
Voltage	220V/240V	
Frecuency	50/60 Hz	
Dimming	No Dim - Other DIM, please consult	
Electrical insulation class		

	OTHER DATA
Sealing	IP20
Wireless control	Please Consult
Recess measurements	Ø50 mm
Cord length	Max. 2 m
Fast adjustment tensioner	No
Weight	435 g
Packaged weight	555 g
Packaging dimensions	210 x 178 x 87 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.






### POLAR DIAGRAM



### CONICAL DIAGRAM







Model
Reference
Colour
Category

PRODUCT	
Cord Accessory	
02230000N	
N ■ RAL9005	
Accessories	

## DIMENSIONAL DRAWING










	PRODUCT
Model	Coaxial Trimless
Reference	A023-00-03-   W   N
Colour	W □ RAL 9016   N ■ RAL 9005
Category	Accessories

REMOTE INCL Ø20

DIMENSIONAL DRAWING



Wire Trimless Accessory is a collection of accessories for fitting tensioners and cables to Arkoslight luminaires suspended directly from the ceiling with any visible ceiling rose or fixings. This achieves a minimalist application with a visually tidy finish.

With Wire Trimless Accessory the items adjacent to the ceiling of the standard product (ceiling roses, fixings, driver boxes, etc.) are concealed by a simple recessed application.

Wire Trimless Accessory reduces the visual impact of the installation leading to extremely minimalist aesthetics. The wires come out of the ceiling material as a part of the structure. This detail creates a much purer, more essential layout, particular when several luminaires are fitted in an arrangement.

