





DROP

Design: Ronni Gol



DROP S1



DROP S2

DROP - 3000 K

Design: Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	DROP S1	DROP S2	
Art. no. white	280260	280264	
Art. no. black	280261	280265	
Art. no. gold	280263	280267	
EAN white	5711389802608	5711389802646	
EAN black	5711389802615	5711389802653	
EAN gold	5711389802639	5711389802677	
Material	Aluminium	Aluminium	
Light source	Lumens	Lumens	
Lifetime	50.000	50.000	
Number of light sources	1	1	
Electronical gear	N/A	N/A	
Driver watt	N/A	N/A	
Light source watt	6	6	
System watt	6	6	
Voltage	220-240V	220-240V	
Dimmable	Leading/trailing Edge	Leading/trailing Edge	
Lumen output	540	540	
Lumen pr. watt	90	90	
Flux	N/A	N/A	
CCT (K)	3000	3000	
RA/CRI	>90	>90	
Mac Adam	3	3	
Light distribution	Down	Down	
Beam angle	38	38	
Tilt angle	N/A	N/A	
Cutout mm.	N/A	N/A	
Rotation	N/A	N/A	
Looping	No	No	

Updated 10th of July 2020

DROP - 2700 K

Design: Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	DROP S1	DROP S2	
Art. no. rose gold	270482	270492	-
EAN rose gold	5711389704827	5711389704926	-
Material	Aluminum	Aluminum	-
Light source	Lumens	Lumens	-
Lifetime	50.000	50.000	-
Number of light sources	1	1	-
Electronical gear	N/A	N/A	-
Driver watt	N/A	N/A	-
Light source watt	6	6	-
System watt	6	6	-
Voltage	220-240V	220-240V	-
Dimmable	Leading/trailing Edge	Leading/trailing Edge	-
Lumen output	540	540	-
Lumen pr. watt	90	90	-
Flux	N/A	N/A	-
CCT (K)	2700	2700	-
RA/CRI	>90	>90	-
Mac Adam	3	3	-
Light distribution	Down	Down	-
Beam angle	38	38	-
Tilt angle	N/A	N/A	-
Cutout mm.	N/A	N/A	-
Rotation	N/A	N/A	-
Looping	No	No	-