







# RETRO SOFA

Product fact sheet

For all possibilities and corresponding prices, please visit our website.



Retro sofa

## 4-seater

**Overall dimensions (L\*W\*H):**

245x95x83 cm

**Seat cushions:**

3 cushions, 70x63 cm

**Armrest height:**

50 cm

**Seat height:**

46 cm

**Seat depth:**

63 cm

**Legs:**

23 cm

Retro sofa

## 3-seater

**Overall dimensions (L\*W\*H):**

225x95x83 cm

**Seat cushions:**

3 cushions, 63x63 cm

**Armrest height:**

50 cm

**Seat height:**

46 cm

**Seat depth:**

63 cm

**Legs:**

23 cm

Retro sofa

## 2-seater

**Overall dimensions (L\*W\*H):**

175x95x83 cm

**Seat cushions:**

2 cushions, 70x63 cm

**Armrest height:**

50 cm

**Seat height:**

46 cm

**Seat depth:**

63 cm

**Legs:**

23 cm

Retro sofa

## Hocker

**Overall dimensions (L\*W\*H):**

72x63x46 cm

**Seat cushions:**

1 cushion, 63x63 cm

**Armrest height:**

N/A

**Seat height:**

N/A

**Seat depth:**

N/A

**Legs:**

23 cm

# FABRIC SPECIFICATIONS

For all possibilities and corresponding prices, please visit our website.

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

## Cosy

### Fabric group:

A (Cosy)



### Colours:

Beige

### Fabric covering

#### specifications:

Product group:	Polyester Polypropyleen flatweave
Composition faceside:	61% Polyester, 39% Polypropyleen
Composition backing:	N/A
Coating:	Needle punch
Material weight:	440 g/lm
Tariff No.:	54077300
Abrasion resistance (EN ISO 12947 1 & 2):	50.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2.000 Rubs
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Ted

### Fabric group:

B (Ted)



### Colours:

Stone

### Fabric covering

#### specifications:

Product group:	100% Polyester
Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Sneak

### Fabric group:

B (Sneak)



### Colours:

Light grey

### Fabric covering

#### specifications:

Product group:	Chenille flatweave
Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	38.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2.000 Rubs
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

### Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

# FABRIC SPECIFICATIONS

For all possibilities and corresponding prices, please visit our website.

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

## Boucle

### Fabric group:

B (Boucle)



### Colours:

Taupe  
Cream

### Fabric covering specifications:

Composition faceside:	95% Polyester, 5% Polyamide
Composition backing:	N/A
Coating:	N/A
Material weight:	600 g/lm
Tariff No.:	512110000
Abrasion resistance (EN ISO 12947 1 & 2):	100.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Linen shadow

### Fabric group:

D (Linen shadow)



### Colours:

Brown

### Fabric covering specifications:

Composition faceside:	63% Cotton, 37% Linen
Composition backing:	N/A
Coating:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	32.500 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Linen blend

### Fabric group:

C (Linen blend)



### Colours:

Taupe

### Fabric covering specifications:

Composition faceside:	60% Cotton, 40% Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

### Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

# FABRIC SPECIFICATIONS

For all possibilities and corresponding prices, please visit our website.

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

## Velvet Juke

### Fabric group:

B (Juke)



### Colours:

Ochre

### Fabric covering

#### specifications:

Product group:	Polyester velvet knitted
Composition faceside:	100% Polyester
Composition backing:	90% Polyester. 10% Cotton
Bonding:	T/C
Material weight:	560 g/lm
Tariff No.:	60019200
Abrasion resistance (EN ISO 12947 1 & 2):	100.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2.000 Rubs
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Royal velvet

### Fabric group:

D (Royal)



### Colours:

Magnolia  
Green

### Fabric covering

#### specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

Retro sofa

## Velvet

### Fabric group:

D (Velvet)



### Colours:

Mustard  
Mint

### Fabric covering

#### specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	470 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	80.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 4-5

### Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & memory foam flakes mix
Back filling:	Mix of feathers & memory foam flakes
Legs:	Black powder coated metal

### Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

# FABRIC SPECIFICATIONS

For all possibilities and corresponding prices, please visit our website.


Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

## Corduroy rib

### Fabric group:

A (Wave)



### Colours:

Cream  
Brown

### Fabric covering specifications:

Covering composition: 92% Polyester, 8% Nylon  
Bonding: Polyester/Polyamide  
Material weight: 300 g/lm  
Tariff No.: 8501320000  
Abrasion resistance  
[EN ISO 12947 1 & 2]: 40.000 cycles, Martindale  
Pilling resistance  
[EN ISO 12945-2]: Class 4, 2.000 Rubs  
Lightfastness  
[EN ISO B02]: Class 4

### Filling and body:

Body: Wood fiber board, hardwood,  
hardboard  
Seat suspension: Nosag springs  
Seat filling: HR 3032 foam + feathers & memory  
foam flakes mix  
Back filling: Mix of feathers & memory foam flakes  
Legs: Black powder coated metal

Retro sofa

## Corduroy velvet

### Fabric group:

B (Corduroy rib velvet)



### Colours:

Aged gold

### Fabric covering specifications:

Covering composition: 100% Polyester  
Bonding: T/C  
Material weight: 580 g/lm  
Tariff No.: 60053700  
Abrasion resistance  
[EN ISO 12947 1 & 2]: 55.000 cycles, Martindale  
Pilling resistance  
[EN ISO 12945-2]: Class 5, 2.000 Rubs  
Lightfastness  
[EN ISO B02]: Class 4-5

### Filling and body:

Body: Wood fiber board, hardwood,  
hardboard  
Seat suspension: Nosag springs  
Seat filling: HR 3032 foam + feathers & memory  
foam flakes mix  
Back filling: Mix of feathers & memory foam flakes  
Legs: Black powder coated metal

### Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.